

*** MATERIAL SAFETY DATA SHEET ***

SOLAREPEL (I002-005)

(PAGE 1 of 2)

DATE OF PREP: 4/28/97

SECTION A

COMPANY INFORMATION

DISTRIBUTOR: UV PROCESS SUPPLY
ADDRESS: 1229 W. CORTLAND
CHICAGO, IL 60614-4805
TELEPHONE #: (773) 248-0099

EMERGENCY#: (541) 926-4577 or (541) 928-0907

TRADE NAME: SOLAREPEL SUNBLOCK 25+
PRODUCT DESCRIPTION: Topical sunscreen; sun protection factor (SPF) 25
CHEMICAL FAMILY: Sunscreen
CAS NUMBER: Not available for this mixture.

SECTION B

HAZARDOUS INGREDIENTS

No hazardous ingredients.

Hazardous Summary: Rating: Health = 0; Fire = 1; Reactivity = 0
Definitions: Least = 0; Slight = 1; Moderate = 2; High = 3; Extreme = 4

SECTION C

COMPOSITION

CAS NUMBER CHEMICAL NAME PERCENT BY WEIGHT

Active Ingredients

21245-02-3	Padimate O	8.00%
5466-77-3	Octyl Methoxycinnamate	7.50%
131-57-7	Oxybenzone	6.00%

Other ingredients: Isopropyl Myristate, Lanolin Oil, Orange Oil, Vitamin E (d alpha tocopherol), Citronella Oil, and Chloroxylenol

SECTION D

HEALTH HAZARD AND FIRST AID INFORMATION

Occupation Exposure Limit: Not established
Carcinogenicity: Not listed by NTP, IARC or OSHA
Primary Routes of Entry: Skin, eyes, inhalation. Ingestion is unlikely.

EYE IRRITATION: Corneal injury is unlikely. Flush thoroughly with water for 15 minutes. Get medical attention if irritation persists.

SKIN IRRITATION: Repeated long-term contact may cause irritation. May cause photosensitivity in those with very sensitive skin. Discontinue use and wash affected skin with soap and water. Remove contaminated clothing. If a rash or other symptoms develop, get medical attention.

INHALATION: Excessive inhalation of spray mist may cause unknown effects. Remove to fresh room temperature air. Get immediate medical attention if symptoms such as dizziness, acute nausea or loss of consciousness occur.

INGESTION: Ingestion may cause unknown affects. If victim is conscious and able to swallow, quickly have victim drink 2 glasses of water to dilute. Do NOT give sodium bicarbonate or fruit juices. Induce vomiting. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: There is no specific antidote. Treatment of over-exposure should be directed at the control symptoms and the clinical condition.

OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. WE ASSUME NO RESPONSIBILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.